

## 40-60 VERSA LIFT WITH 4 COUNTERWEIGHT SLABS

**Slab Weight (kg)**  
1700

**Number of Slabs**  
4

**Standard Wheel Base (mm)**  
2490

<b>Lift Capacities with forks only (kg)</b>						
		<b>Counterweight extension (mm)</b>				
		<b>0</b>	<b>300</b>	<b>600</b>	<b>900</b>	<b>1200</b>
<b>Load Centre from fork face (mm)</b>	<b>900</b>	<b>18900</b>	<b>21000</b>	<b>23100</b>	<b>25200</b>	<b>27300</b>
	<b>1200</b>	<b>15800</b>	<b>17500</b>	<b>19300</b>	<b>21100</b>	<b>22900</b>
	<b>1500</b>	<b>13600</b>	<b>15100</b>	<b>16600</b>	<b>18100</b>	<b>19600</b>
	<b>1800</b>	<b>11900</b>	<b>13200</b>	<b>14600</b>	<b>15900</b>	<b>17200</b>
	<b>2100</b>	<b>10600</b>	<b>11800</b>	<b>13000</b>	<b>14100</b>	<b>15300</b>

<b>Lift Capacities with boom only (kg)</b>						
		<b>Counterweight extension (mm)</b>				
		<b>0</b>	<b>300</b>	<b>600</b>	<b>900</b>	<b>1200</b>
<b>Load Centre from boom face (mm)</b>	<b>600</b>	<b>18000</b>	<b>20000</b>	<b>22100</b>	<b>24200</b>	<b>26300</b>
	<b>900</b>	<b>15100</b>	<b>16800</b>	<b>18600</b>	<b>20300</b>	<b>22000</b>
	<b>1200</b>	<b>13000</b>	<b>14500</b>	<b>16000</b>	<b>17500</b>	<b>19000</b>
	<b>1500</b>	<b>11400</b>	<b>12700</b>	<b>14100</b>	<b>15400</b>	<b>16700</b>
	<b>1800</b>	<b>10200</b>	<b>11300</b>	<b>12500</b>	<b>13700</b>	<b>14900</b>
	<b>2000</b>	<b>9700</b>	<b>10700</b>	<b>11900</b>	<b>13000</b>	<b>14100</b>
	<b>2100</b>	<b>9200</b>	<b>10200</b>	<b>11300</b>	<b>12300</b>	<b>13400</b>
	<b>2300</b>	<b>8800</b>	<b>9700</b>	<b>10700</b>	<b>11800</b>	<b>12800</b>
	<b>2400</b>	<b>8300</b>	<b>9300</b>	<b>10300</b>	<b>11200</b>	<b>12200</b>
	<b>2600</b>	<b>8000</b>	<b>8900</b>	<b>9800</b>	<b>10800</b>	<b>11700</b>
	<b>2700</b>	<b>7700</b>	<b>8600</b>	<b>9400</b>	<b>10300</b>	<b>11200</b>
	<b>2900</b>	<b>7400</b>	<b>8200</b>	<b>9100</b>	<b>9900</b>	<b>10800</b>
<b>3000</b>	<b>7100</b>	<b>7300*</b>	<b>7300*</b>	<b>7300*</b>	<b>7300*</b>	

<b>Lift Capacities with forks &amp; boom (kg)</b>						
		<b>Counterweight extension (mm)</b>				
		<b>0</b>	<b>300</b>	<b>600</b>	<b>900</b>	<b>1200</b>
<b>Load Centre from boom face (mm)</b>	<b>600</b>	<b>17400</b>	<b>19500</b>	<b>21500</b>	<b>23600</b>	<b>25700</b>
	<b>900</b>	<b>14600</b>	<b>16300</b>	<b>18000</b>	<b>19800</b>	<b>21500</b>
	<b>1200</b>	<b>12600</b>	<b>14100</b>	<b>15600</b>	<b>17000</b>	<b>18500</b>
	<b>1500</b>	<b>11000</b>	<b>12300</b>	<b>13600</b>	<b>15000</b>	<b>16300</b>
	<b>1800</b>	<b>9800</b>	<b>11000</b>	<b>12200</b>	<b>13300</b>	<b>14500</b>

**\*\*\*All Load Capacities are rated with the mast vertical\*\*\*Regions marked by an \* are limited by Structural Limitations**

## 40-60 VERSA LIFT WITH 3 COUNTERWEIGHT SLABS

**Slab Weight (kg)**  
1700

**Number of Slabs**  
3

**Standard Wheel Base (mm)**  
2490

Lift Capacities with forks only (kg)						
		Counterweight extension (mm)				
		0	300	600	900	1200
Load Centre from fork face (mm)	900	16700	18500	20400	22200	24000
	1200	14000	15500	17000	18600	20100
	1500	12000	13300	14600	16000	17300
	1800	10500	11700	12800	14000	15200
	2100	9400	10400	11400	12500	13500

Lift Capacities with boom only (kg)						
		Counterweight extension (mm)				
		0	300	600	900	1200
Load Centre from boom face (mm)	600	15800	17600	19500	21300	23100
	900	13200	14800	16300	17800	19400
	1200	11400	12700	14100	15400	16700
	1500	10000	11200	12300	13500	14600
	1800	8900	10000	11000	12000	13100
	2000	8500	9400	10400	11400	12400
	2100	8100	9000	9900	10800	11800
	2300	7700	8600	9400	10300	11200
	2400	7300	8200	9000	9900	10700
	2600	7000	7800	8700	9400	10200
	2700	6800	7500	8300	9100	9800
	2900	6500	7200	8000	8700	9400
3000	6200	6900	7300*	7300*	7300*	

Lift Capacities with forks & boom (kg)						
		Counterweight extension (mm)				
		0	300	600	900	1200
Load Centre from boom face (mm)	600	15200	17000	18800	20600	22400
	900	12700	14300	15800	17300	18900
	1200	11000	12300	13600	14900	16200
	1500	9700	10800	12000	13100	14200
	1800	8600	9600	10700	11700	12700

\*\*\*All Load Capacities are rated with the mast vertical  
\*\*\*Regions marked by an \* are limited by Structural Limitation

## 40-60 VERSA LIFT WITH 2 COUNTERWEIGHT SLABS

**Slab Weight (kg)**  
1700

**Number of Slabs**  
2

**Standard Wheel Base (mm)**  
2490

Lift Capacities with forks only (kg)						
		Counterweight extension (mm)				
		0	300	600	900	1200
Load Centre from fork face (mm)	900	14500	16100	17600	19200	20800
	1200	12100	13400	14700	16100	17400
	1500	10400	11500	12700	13800	15000
	1800	9100	10100	11100	12100	13100
	2100	8100	9000	9900	10800	11700

Lift Capacities with boom only (kg)						
		Counterweight extension (mm)				
		0	300	600	900	1200
Load Centre from boom face (mm)	600	13600	15200	16700	18300	19900
	900	11400	12700	14100	15300	16600
	1200	9800	11000	12100	13200	14300
	1500	8700	9600	10600	11600	12600
	1800	7700	8600	9500	10300	11200
	2000	7300	8200	9000	9800	10700
	2100	6900	7800	8500	9300	10100
	2300	6600	7400	8200	8900	9700
	2400	6300	7100	7800	8500	9200
	2600	6100	6800	7400	8100	8800
	2700	5800	6500	7100	7800	8500
	2900	5600	6200	6800	7500	8100
3000	5400	6000	6600	7200	7300*	

Lift Capacities with forks & boom (kg)						
		Counterweight extension (mm)				
		0	300	600	900	1200
Load Centre from boom face (mm)	600	13000	14600	16100	17700	19200
	900	10900	12200	13500	14800	16100
	1200	9400	10500	11700	12800	13900
	1500	8300	9300	10200	11200	12200
	1800	7300	8300	9100	10000	10900

\*\*\*All Load Capacities are rated with the mast vertical  
 \*\*\*Regions marked by an \* are limited by Structural Limitations

## 40-60 VERSA LIFT WITH 1 COUNTERWEIGHT SLAB

**Slab Weight (kg)**  
1700

**Number of Slabs**  
1

**Standard Wheel Base (mm)**  
2490

<b>Lift Capacities with forks only (kg)</b>						
		<b>Counterweight extension (mm)</b>				
		<b>0</b>	<b>300</b>	<b>600</b>	<b>900</b>	<b>1200</b>
<b>Load Centre from fork face (mm)</b>	<b>900</b>	<b>12200</b>	<b>13600</b>	<b>14900</b>	<b>16200</b>	<b>17500</b>
	<b>1200</b>	<b>10200</b>	<b>11300</b>	<b>12400</b>	<b>13600</b>	<b>14600</b>
	<b>1500</b>	<b>8800</b>	<b>9700</b>	<b>10700</b>	<b>11700</b>	<b>12600</b>
	<b>1800</b>	<b>7700</b>	<b>8600</b>	<b>9400</b>	<b>10200</b>	<b>11000</b>
	<b>2100</b>	<b>6900</b>	<b>7600</b>	<b>8300</b>	<b>9100</b>	<b>9800</b>

<b>Lift Capacities with boom only (kg)</b>						
		<b>Counterweight extension (mm)</b>				
		<b>0</b>	<b>300</b>	<b>600</b>	<b>900</b>	<b>1200</b>
<b>Load Centre from boom face (mm)</b>	<b>600</b>	<b>11500</b>	<b>12700</b>	<b>14100</b>	<b>15300</b>	<b>16600</b>
	<b>900</b>	<b>9600</b>	<b>10700</b>	<b>11800</b>	<b>12900</b>	<b>14000</b>
	<b>1200</b>	<b>8300</b>	<b>9200</b>	<b>10200</b>	<b>11100</b>	<b>12000</b>
	<b>1500</b>	<b>7300</b>	<b>8100</b>	<b>8900</b>	<b>9700</b>	<b>10600</b>
	<b>1800</b>	<b>6500</b>	<b>7200</b>	<b>7900</b>	<b>8700</b>	<b>9400</b>
	<b>2000</b>	<b>6200</b>	<b>6800</b>	<b>7500</b>	<b>8200</b>	<b>8900</b>
	<b>2100</b>	<b>5800</b>	<b>6500</b>	<b>7200</b>	<b>7800</b>	<b>8500</b>
	<b>2300</b>	<b>5600</b>	<b>6200</b>	<b>6800</b>	<b>7400</b>	<b>8100</b>
	<b>2400</b>	<b>5300</b>	<b>5900</b>	<b>6500</b>	<b>7100</b>	<b>7700</b>
	<b>2600</b>	<b>5100</b>	<b>5700</b>	<b>6300</b>	<b>6800</b>	<b>7400</b>
	<b>2700</b>	<b>4900</b>	<b>5400</b>	<b>6000</b>	<b>6500</b>	<b>7100</b>
	<b>2900</b>	<b>4700</b>	<b>5200</b>	<b>5800</b>	<b>6300</b>	<b>6800</b>
<b>3000</b>	<b>4500</b>	<b>5000</b>	<b>5500</b>	<b>6000</b>	<b>6600</b>	

<b>Lift Capacities with forks &amp; boom (kg)</b>						
		<b>Counterweight extension (mm)</b>				
		<b>0</b>	<b>300</b>	<b>600</b>	<b>900</b>	<b>1200</b>
<b>Load Centre from boom face (mm)</b>	<b>600</b>	<b>10800</b>	<b>12200</b>	<b>13400</b>	<b>14700</b>	<b>16000</b>
	<b>900</b>	<b>9100</b>	<b>10200</b>	<b>11300</b>	<b>12300</b>	<b>13400</b>
	<b>1200</b>	<b>7800</b>	<b>8800</b>	<b>9700</b>	<b>10700</b>	<b>11600</b>
	<b>1500</b>	<b>6900</b>	<b>7700</b>	<b>8500</b>	<b>9300</b>	<b>10200</b>
	<b>1800</b>	<b>6100</b>	<b>6800</b>	<b>7600</b>	<b>8300</b>	<b>9100</b>

**\*\*\*All Load Capacities are rated with the mast vertical**

## 40-60 VERSA LIFT WITH 0 COUNTERWEIGHT SLABS

**Slab Weight (kg)**  
1700

**Number of Slabs**  
0

**Standard Wheel Base (mm)**  
2490

<b>Lift Capacities with forks only (kg)</b>						
		<b>Counterweight extension (mm)</b>				
		<b>0</b>	<b>300</b>	<b>600</b>	<b>900</b>	<b>1200</b>
<b>Load Centre from fork face (mm)</b>	<b>900</b>	<b>10000</b>	<b>11100</b>	<b>12200</b>	<b>13200</b>	<b>14200</b>
	<b>1200</b>	<b>8400</b>	<b>9300</b>	<b>10200</b>	<b>11000</b>	<b>11900</b>
	<b>1500</b>	<b>7200</b>	<b>8000</b>	<b>8700</b>	<b>9500</b>	<b>10200</b>
	<b>1800</b>	<b>6300</b>	<b>7000</b>	<b>7700</b>	<b>8300</b>	<b>9000</b>
	<b>2100</b>	<b>5600</b>	<b>6200</b>	<b>6800</b>	<b>7400</b>	<b>8000</b>

<b>Lift Capacities with boom only (kg)</b>						
		<b>Counterweight extension (mm)</b>				
		<b>0</b>	<b>300</b>	<b>600</b>	<b>900</b>	<b>1200</b>
<b>Load Centre from boom face (mm)</b>	<b>600</b>	<b>9300</b>	<b>10300</b>	<b>11300</b>	<b>12400</b>	<b>13400</b>
	<b>900</b>	<b>7800</b>	<b>8700</b>	<b>9500</b>	<b>10400</b>	<b>11200</b>
	<b>1200</b>	<b>6700</b>	<b>7400</b>	<b>8200</b>	<b>8900</b>	<b>9700</b>
	<b>1500</b>	<b>5900</b>	<b>6500</b>	<b>7200</b>	<b>7800</b>	<b>8500</b>
	<b>1800</b>	<b>5300</b>	<b>5800</b>	<b>6400</b>	<b>7000</b>	<b>7600</b>
	<b>2000</b>	<b>5000</b>	<b>5500</b>	<b>6100</b>	<b>6600</b>	<b>7200</b>
	<b>2100</b>	<b>4700</b>	<b>5300</b>	<b>5800</b>	<b>6300</b>	<b>6800</b>
	<b>2300</b>	<b>4500</b>	<b>5000</b>	<b>5500</b>	<b>6000</b>	<b>6500</b>
	<b>2400</b>	<b>4300</b>	<b>4800</b>	<b>5300</b>	<b>5800</b>	<b>6200</b>
	<b>2600</b>	<b>4100</b>	<b>4600</b>	<b>5000</b>	<b>5500</b>	<b>5900</b>
	<b>2700</b>	<b>3900</b>	<b>4400</b>	<b>4900</b>	<b>5300</b>	<b>5700</b>
	<b>2900</b>	<b>3800</b>	<b>4200</b>	<b>4600</b>	<b>5100</b>	<b>5500</b>
<b>3000</b>	<b>3700</b>	<b>4100</b>	<b>4500</b>	<b>4900</b>	<b>5300</b>	

<b>Lift Capacities with forks &amp; boom (kg)</b>						
		<b>Counterweight extension (mm)</b>				
		<b>0</b>	<b>300</b>	<b>600</b>	<b>900</b>	<b>1200</b>
<b>Load Centre from boom face (mm)</b>	<b>600</b>	<b>8700</b>	<b>9700</b>	<b>10700</b>	<b>11700</b>	<b>12800</b>
	<b>900</b>	<b>7300</b>	<b>8200</b>	<b>9000</b>	<b>9900</b>	<b>10700</b>
	<b>1200</b>	<b>6300</b>	<b>7000</b>	<b>7800</b>	<b>8500</b>	<b>9300</b>
	<b>1500</b>	<b>5500</b>	<b>6200</b>	<b>6800</b>	<b>7500</b>	<b>8100</b>
	<b>1800</b>	<b>4900</b>	<b>5500</b>	<b>6100</b>	<b>6700</b>	<b>7300</b>

**\*\*\*All Load Capacities are rated with the mast vertical**